



UL 1977

Underwriters Laboratories Inc.
Standard for Safety

Component Connectors for
Use in Data, Signal, Control
and Power Applications



Underwriters Laboratories Inc. (UL)
333 Pfingsten Road
Northbrook, IL 60062-2096

UL Standard for Safety for Component Connectors for Use in Data, Signal, Control and Power Applications, UL 1977

Second Edition, Dated December 7, 2007

SUMMARY OF TOPICS

These revisions to UL 1977 include the following changes in requirements:

Exception for End Product Flame Test

Text that has been changed in any manner or impacted by UL's electronic publishing system is marked with a vertical line in the margin. Changes in requirements are marked with a vertical line in the margin and are followed by an effective date note indicating the date of publication or the date on which the changed requirement becomes effective.

The revised requirements are substantially in accordance with Proposal(s) on this subject dated April 6, 2009.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form by any means, electronic, mechanical photocopying, recording, or otherwise without prior permission of UL.

UL provides this Standard "as is" without warranty of any kind, either expressed or implied, including but not limited to, the implied warranties of merchantability or fitness for any purpose.

In no event will UL be liable for any special, incidental, consequential, indirect or similar damages, including loss of profits, lost savings, loss of data, or any other damages arising out of the use of or the inability to use this Standard, even if UL or an authorized UL representative has been advised of the possibility of such damage. In no event shall UL's liability for any damage ever exceed the price paid for this Standard, regardless of the form of the claim.

Users of the electronic versions of UL's Standards for Safety agree to defend, indemnify, and hold UL harmless from and against any loss, expense, liability, damage, claim, or judgment (including reasonable attorney's fees) resulting from any error or deviation introduced while purchaser is storing an electronic Standard on the purchaser's computer system.

The requirements in this Standard are now in effect, except for those paragraphs, sections, tables, figures, and/or other elements of the Standard having future effective dates as indicated in the note following the affected item. The prior text for requirements that have been revised and that have a future effective date are located after the Standard, and are preceded by a "SUPERSEDED REQUIREMENTS" notice.

The following table lists the future effective dates with the corresponding reference.

Future Effective Dates	References
December 7, 2009	Paragraph 23.4 and Section 21

DECEMBER 7, 2007

(Title Page Reprinted: September 1, 2009)

1

UL 1977

**Standard for Component Connectors for Use in Data, Signal, Control and
Power Applications**

First Edition – December, 1995

Second Edition

December 7, 2007

Comments or proposals for revisions on any part of the Standard may be submitted to UL at any time. Proposals should be submitted via a Proposal Request in UL's On-Line Collaborative Standards Development System (CSDS) at <http://csds.ul.com>.

UL's Standards for Safety are copyrighted by UL. Neither a printed nor electronic copy of a Standard should be altered in any way. All of UL's Standards and all copyrights, ownerships, and rights regarding those Standards shall remain the sole and exclusive property of UL.

COPYRIGHT © 2009 UNDERWRITERS LABORATORIES INC.

No Text on This Page

CONTENTS

INTRODUCTION

1 Scope	4
2 Glossary	6
3 Components	6
4 Units of Measurement	7
5 References	7

CONSTRUCTION

6 General	7
7 Insulating Materials	7
8 Current-Carrying Parts	8
9 Grounding and Dead-Metal Parts	9
10 Assembly	9
10.1 General	9
10.2 Accessibility of live parts	9
10.3 Connection between mating devices	11
11 Spacings	11

PERFORMANCE

12 General	12
13 Accelerated Aging Test	13
13.1 Rubber compounds	13
13.2 PVC compounds	13
14 Mold Stress Relief Test	13
15 Overload Test	14
16 Temperature Test	15
17 Dielectric Voltage-Withstand Test	16
18 Resistance To Arcing Test	17
19 Conductor Secureness Test	17
20 Flammability Test	18
21 Grounding Impedance Test	18

RATINGS

22 General	18
------------------	----

MARKINGS

23 General	19
------------------	----

APPENDIX A

Standards for Components.....	A1
-------------------------------	----

INTRODUCTION

1 Scope


1.1 These requirements cover single and multipole connectors, intended for factory assembly to copper or copper alloy conductors or printed wiring boards, for use in data, signal, control and power applications within and between electrical equipment.

1.2 These requirements apply to devices categorized as follows (See Figure 1.1):

- a) Type 0 rated less than 8.3 A and less than 30 V rms (42 V peak);
- b) Type 1A rated less than 8.3 A and from 30 V up to and including 600 V ac or dc, or both;
- c) Type 1B rated from 8.3 A up to and including 200 A, and less than 30 V rms (42 V peak);
- d) Type 2 rated from 8.3 A to less than 31 A and from 30 V up to and including 600 V ac or dc or both;
- e) Type 3 rated from 31 A up to and including 200 A and from 30 V up to and including 600 V ac or dc, or both.
- f) Type 4 rated from greater than 200 A up to and including 1000 A, and up to and including 600 V ac or dc.
- g) Type 5 rated less than 31 A and from 601 V up to and including 6000 V ac or dc, or both.

Type designations used in this Standard only serve as a guide to determine appropriate requirements, and do not represent an assigned rating. A device without an assigned current rating is considered to be either a Type 0 or Type 1A depending upon the assigned voltage rating.

Figure 1.1
Connector type designations



1.3 This standard does not directly apply to the following devices, but may be used to supplement the requirements within these standards when a device is evaluated to these standards:

- a) Devices produced integrally with flexible cord or cable that are covered by the Standard for Cord Sets and Power-Supply Cords, UL 817;
- b) Devices intended for connection to the branch circuit, such as attachment plugs, cord connectors, receptacles, inlets, and outlets, that are covered by the Standard for Attachment Plugs and Receptacles, UL 498;
- c) Devices solely intended for direct connection to the branch circuit in accordance with the National Electrical Code, NFPA 70, and that are provided with contacts of the pin and sleeve type, that are covered by the Standard for Plugs, Receptacles, and Cable Connectors of the Pin and Sleeve Type, UL 1682;
- d) Devices consisting of wiring terminals and supporting blocks intended for the connection of wiring that are covered by the Standard for Terminal Blocks, UL 1059;
- e) Devices intended for use with telecommunications networks, that are covered by the Standard for Information Technology Equipment – Safety – Part 1: General Requirements, UL 60950-1, or the Standard for Communications Circuit Accessories, UL 1863;
- f) Devices such as wire connectors and soldering lugs that are covered by the Standards for Wire Connectors, UL 486A-486B; Splicing Wire Connectors, UL 486C; or Equipment Wiring Terminals for Use with Aluminum and/or Copper Conductors, UL 486E;

g) Devices such as quick-connect terminals that are covered by the Standard for Electrical Quick-Connect Terminals, UL 310.

1.4 The requirements in this standard may not entirely address all possible situations due to the wide variety of products and designs. In those situations, UL 498 may be used to supplement the requirements in this standard. Where a conflict exists between the requirements of UL 498 and UL 1977, the requirements of UL 1977 shall take precedence.

2 Glossary

2.1 For the purpose of this Standard, the following definitions apply.

2.2 CONTACT – A conductive element intended to mate with a corresponding element to provide an electrical path.

2.3 ENCLOSURE – The case or housing into which the insulator and contacts are assembled.

2.4 HYBRID DEVICE – A device employing dedicated contacts of two or more type designations.

2.5 INSULATOR – The portion of a device that provides for separation and support of contacts. May be combined with the enclosure.

2.6 TERMINAL – A conductive part provided on a contact for connecting a conductor.

3 Components

3.1 Except as indicated in 3.2, a component of a product covered by this standard shall comply with the requirements for that component. See Appendix A for a list of standards covering components used in the products covered by this standard.

3.2 A component is not required to comply with a specific requirement that:

- a) Involves a feature or characteristic not required in the application of the component in the product covered by this standard, or
- b) Is superseded by a requirement in this standard.

3.3 A component shall be used in accordance with its rating established for the intended conditions of use.

3.4 Specific components are incomplete in construction features or restricted in performance capabilities. Such components are intended for use only under limited conditions, such as certain temperatures not exceeding specified limits, and shall be used only under those specific conditions.

4 Units of Measurement

4.1 Values stated without parentheses are the requirement. Values in parentheses are explanatory or approximate information.

5 References

5.1 Any undated reference to a code or standard appearing in the requirements of this standard shall be interpreted as referring to the latest edition of that code or standard.

CONSTRUCTION

6 General

6.1 Devices complying with these requirements are acceptable for use as components in an end product where the acceptability of the combination is to be determined.

6.2 The acceptability of a connector in any particular application depends on its ability to be used under the conditions that prevail in actual service. For a particular application, a connector may be affected by the requirements for the equipment in which it is used, and it may be necessary to additionally evaluate features or performance characteristics that are not specified in this standard.

7 Insulating Materials

7.1 A base or body in or on which live parts are mounted shall be of porcelain or another insulating material acceptable for the particular application.

7.2 A polymeric material, including rubber compounds, used as an electrical insulator, an internal barrier necessary to maintain spacings, or an enclosure of live parts shall comply with the requirements shown in Table 7.1.

Exception: A polymeric material need not have a flame rating for the thinnest measured thickness when the molded connector/material combination complies with the 12 mm or 20 mm (3/4 in) end-product flame tests described in the Standard for Polymeric Materials – Use in Electrical Equipment Evaluations, UL 746C.

7.2 revised September 1, 2009

Table 7.1
Minimum ratings for polymeric materials

Table 7.1 revised June 11, 2008

Type	Flame rating	Relative thermal index (RTI) Electrical/ mechanical - strength (Str) ^{a,b}
0	—	50/50
1A	HB	50/50
1B	HB	50/50
2	HB	50/50
3	HB	50/50
4	HB	50/50
5	HB	50/50

^a The RTI of the material shall not be lower than the temperature measured during the Temperature Test.
^b For a thickness less than that for which a value has been established, the RTI of the minimum thickness with an established value shall be used.

8 Current-Carrying Parts

8.1 Device contacts shall be constructed of plated or unplated copper or copper alloy. Other materials may be accepted if they are found to provide adequate electrical and mechanical characteristics as a result of special investigation.

8.2 Crimp style terminals are considered representative of solder terminals provided the remaining portion of the contacts are identical.

8.3 Iron or steel, whether plain or plated, shall not be used for parts that are depended upon to carry current.

Exception: Parts that are depended upon to carry current in high temperature applications may be of suitably plated or stainless steel.

8.4 A current-carrying part shall be secured in place so that turning relative to the surface on which it is mounted would not adversely affect the performance of the device.

8.5 A terminal plate threaded for a wire-binding screw shall:

- a) Be at least 0.76 mm (0.03 in) thick,
- b) Thread into metal, and
- c) Have at least two complete threads.

In order to obtain two complete threads, the metal of the terminal plate at the tapped hole may be extruded.

8.6 The minimum size for a wire-binding screw shall be as indicated in Table 8.1.

Table 8.1
Minimum sizes of wire binding screws

Rating maximum A	Minimum screw size American No. (metric)	Minimum head diameter, mm (in)
15	5 (M3)	6.3 (0.25)
20	6 (M3.5)	7.0 (0.28)
30	8 (M4)	8.3 (0.33)

No Text on This Page

9 Grounding and Dead-Metal Parts

9.1 Non-current carrying parts of ferrous metal (other than stainless steel), including mounting screws, shall be protected against corrosion by zinc plating, or an equivalent protective coating.

9.2 Dead metal parts of a device provided with a socket contact or terminal identified for use as an equipment-grounding conductor shall be conductively connected to the grounding-conductor path. See Section 21.

9.2 revised June 11, 2008

9.3 An identified grounding contact, or grounding-conductor path through a device shall be of plated or unplated copper or copper-based alloy.

Exception No. 1: A metal housing, shell or armor of a device in the path of the identified grounding conductor need not be of copper or copper-based alloy, but shall employ a copper or copper-base alloy contact for connection to the housing of a mating device.

Exception No. 2: A device mounting means need not be copper or copper-based alloy.

Exception No. 3: Other materials may be acceptable if they are found to provide equivalent electrical and mechanical characteristics as a result of special investigation.

10 Assembly

10.1 General

10.1.1 A device shall be capable of being readily installed as intended.

10.1.2 A polarized device incorporating two or more contacts shall be keyed or of such design that the polarization can not be defeated by improper assembly during installation.

10.1.3 Any two or more device parts that may be separated during installation shall not be capable of an assembly that will defeat the intended polarization of wiring.

10.2 Accessibility of live parts

10.2.1 A connector of Types 1A, 2, 3, or 4 intended for usage external to the end equipment shall have live parts protected against exposure to contact by persons when assembled, installed and mated as intended, as determined by the use of the probe shown in Figure 10.1.

10.2.2 Mating devices of Types 1A, 2, 3, or 4 intended for usage external to the end equipment shall not have exposed live contacts during engagement or withdrawal as determined by the use of the probe shown in Figure 10.1.

10.3 Connection between mating devices

10.3.1 A hybrid device shall be polarized or otherwise constructed so that contacts with different Type designations cannot make electrical contact when mating devices are connected together.

10.3.2 A device provided with an identified grounding contact shall be so constructed that the grounding pin of the corresponding mating device when wired as intended, cannot be inserted into any other opening so as to touch a live contact or other live part.

10.3.3 An identified grounding contact provided on a device shall be located and formed so that the path of electrical continuity to the grounding contact of a mating device is completed before continuity is established between any other contact and its respective contact in the mating device.

Exception: A Type 0 or 1B device need not comply with this requirement.

11 Spacings

11.1 For devices as specified in Table 11.1 there shall be a minimum spacing through air and over surface of 1.2 mm (3/64 inch) for a device rated 250 volts or less, and a minimum of 3.2 mm (1/8 inch) for a device rated more than 250 volts, between an uninsulated live part and:

- a) An uninsulated live part of opposite polarity,
- b) An uninsulated grounded metal part, or
- c) A non-current carrying metal part that is exposed to contact by persons when the device is installed and used in the intended manner.

Exception: Spacings less than those specified are permitted if the device complies with the requirements in the Dielectric Voltage-Withstand Test, Section 17.

Table 11.1
Applicability of spacing requirements

Type	Uninsulated live part – uninsulated live part of opposite polarity	Uninsulated live part – uninsulated grounded metal part	Uninsulated live part – exposed dead metal part
0	No	No	No
1A	Yes	Yes	Yes
1B	Yes	Yes	No
2	Yes	Yes	Yes
3	Yes	Yes	Yes
4	Yes	Yes	Yes
5	Yes	Yes	Yes

11.2 Spacings on a Type 5 device shall meet the minimum required values for the intended end-use application.

13 Accelerated Aging Test

13.1 Rubber compounds

13.1.1 A molded-rubber component shall show no apparent deterioration and shall show no greater change in hardness than ten numbers as the result of exposure for 70 hours in a full-draft circulating-air oven at a temperature of $100.0 \pm 2.0^{\circ}\text{C}$ ($212.0 \pm 1.8^{\circ}\text{F}$).

13.1.2 If possible, the complete device is to be tested. The hardness of the rubber is to be determined prior to testing as the average of five readings with an appropriate gauge such as the Rex Hardness Gauge or the Shore Durometer. The device is to be allowed to rest at room temperature for four or more hours after removal from the oven. The hardness is to be determined again as the average of five new readings. The difference between the average original hardness reading and the average reading taken after exposure to the heat conditioning is the change in hardness.

13.1.3 The accelerated-aging tests mentioned in 13.1.1 and 13.1.2 are to be made on each color of rubber and on each basic rubber compound employed for the device.

13.2 PVC compounds

13.2.1 A device having a body of polyvinyl chloride or one of its copolymers shall show no cracks, discoloration, or other visible signs of deterioration as the result of exposure for 96 hours in a full-draft circulating-air oven at a temperature of $100.0 \pm 1.0^{\circ}\text{C}$ ($212.0 \pm 1.8^{\circ}\text{F}$).

Exception: A device having a body with a hardness of greater than Shore D65 as determined in accordance with ASTM D 2240 need not be subjected to this test.

14 Mold Stress Relief Test

14.1 As a result of temperature conditioning as specified in 14.2, there shall not be any warpage, shrinkage or other distortion that results in any of the following:

- a) Making uninsulated live parts, other than exposed wiring terminals or internal wiring, accessible to contact by the probe shown in Figure 10.1.
- b) Defeating the integrity of the enclosure so that acceptable mechanical protection is not afforded to internal parts of the device.
- c) Interference with the operation, function, or installation of the device. The outlet openings of a female device shall be capable of having a mating male device of the intended configuration fully inserted.
- d) A reduction of spacing below the minimum acceptable values of 11.1 between an uninsulated live part and:
 - 1) An uninsulated live part of opposite polarity,
 - 2) An uninsulated grounded metal part, or
 - 3) A non-current carrying metal part that is exposed to contact by persons when the device is installed and used in the intended manner.
- e) Any other evidence of damage that could increase the risk of fire or electric shock.

14.2 Fully assembled, unmated devices are to be placed in a full-draft circulating-air oven for seven hours. The temperature is to be maintained at a uniform temperature of not less than 70°C (158°F) and at least 10°C (18°F) higher than either:

- a) The maximum intended operating temperature of the device, up to the maximum thermal index rating of the insulating material, or
- b) The maximum temperature of the connector as measured during the Temperature Test, Section 16.

The devices are to be removed from the oven and allowed to cool to room temperature before determining compliance.

15 Overload Test

15.1 A female contact device shall perform acceptably when subjected to an overload test as described in 15.2 – 15.10. There shall not be any electrical or mechanical failure of the device nor pitting or burning of the contacts that would affect the intended function. The grounding fuse shall not open during the test.

Exception No. 1: A Type 0 device need not be subjected to this test.

Exception No. 2: A device that is intended for disconnecting use only, not for current interruption, and is marked in accordance with 23.4, need not be subjected to this test.

Exception No. 3: A female contact device interlocked with an integral switch or other means such that the circuit is opened before a mating male contact device can be inserted or withdrawn need not be subjected to this test.

15.2 Any additional material provided that is intended to reduce or confine the arcing in the contact chamber of the device, and that decomposes or is otherwise affected by the arcing, is to be removed for all of the overload tests.

15.3 A mating device is to be inserted and withdrawn manually or mechanically while connected to a suitable load. The equipment grounding contact is to be connected to ground through a fuse. The device is to make and break 150 percent of its rated current for 50 cycles of operation at a rate not higher than 10 cycles/min. The device is to be mounted and wired to represent actual service conditions. Exposed metal parts and any pole that is not part of the test circuit are to be connected through a fuse to ground or to the grounded conductor of the test circuit.

15.4 The fuse in the grounding circuit is to be a 15 A fuse if the device under test is rated 30 A or lower, and is to be a 30 A fuse if the device under test is rated at more than 30 A. The fuses in the test circuit are not to exceed the ampere rating of the device.

15.5 A previously untested male contact device is to be used for each overload test.

Exception: One device may be used for all of the overload tests if agreeable to all concerned.

15.6 Contacts of the device are not to be adjusted, lubricated, or otherwise conditioned before or during the test.

15.7 The potential of the test circuit is to be 95 to 105 percent of the voltage rating of the device.

15.8 A device that has multiple voltage and ampere ratings is to be tested at:

- a) 150 percent of the rated current that corresponds to the maximum rated voltage,
- b) 150 percent of the maximum rated current at the corresponding rated voltage, and
- c) 150 percent of the rated current at the corresponding rated voltage that results in the maximum power per pole.

15.9 A test using alternating current may be waived, if acceptable results have been obtained from an equivalent or higher volt-ampere test using a direct current voltage.

15.10 Alternating current is to be used if the device is rated for alternating current only. The power factor of the load is to be 0.75 to 0.80 for an ampere rated device.

16 Temperature Test

16.1 The temperature of a device, when measured at the points described in 16.3 shall not exceed the Relative Thermal Index (Electrical and Mechanical – Strength (Str)) of the insulating material when the device is carrying its maximum rated current. See 23.2(b).

Exception: A Type 0 or Type 1A device not assigned a current rating is not subjected to the temperature test .

Note: A Type 0 or 1A device with an assigned current rating would be subjected to the temperature test.

16.1 revised June 11, 2008

16.2 The temperature test shall be performed following the overload test, if applicable, on the same test specimens.

16.3 The temperature measurement mentioned in 16.1 is to be made on the wiring terminals of each device if they are accessible for the mounting of thermocouples. If the wiring terminals are inaccessible, temperatures are to be measured as close as possible to the device current carrying contacts. The test is to continue for 4 hours even if stabilized temperatures are attained in a shorter period of time. A temperature is considered to be stabilized when three consecutive readings, taken at 5 minute intervals, indicate no further rise above the ambient temperature.

16.4 The test shall be conducted using the minimum rated wire size, and maximum number of terminations for the rated current stated in 16.1. Temperatures shall be measured on the wiring terminals of the pole location judged most likely to result in the highest temperatures.

Note: With all poles carrying rated current, the center pole or innermost pole will usually attain higher temperatures than the outer poles.

16.5 Unless otherwise recommended by the manufacturer, all contacts are to be connected in series so as to carry the same test current. For connectors with groups of contacts with different electrical ratings, each group is to be wired as a separate series circuit and tested concurrently.

16.6 This test is to be made in a draft-free area having an ambient temperature of $25 \pm 5^{\circ}\text{C}$ ($77 \pm 9^{\circ}\text{F}$). Tests conducted at an ambient temperature other than 25°C are to have the test results adjusted to an ambient temperature of 25°C by adding the appropriate variation between 25°C and the ambient.

17 Dielectric Voltage-Withstand Test

17.1 Devices previously subjected to the temperature test shall be subjected to the test described in 17.2 – 17.4.

Exception: Type 0 devices need not be tested.

17.2 Immediately following the Temperature Test, the same devices shall withstand, without arc-over or breakdown, for a period of 1 minute, the application of an essentially sinusoidal potential at a frequency in the range of 40 – 70 Hz. The test potential shall be applied between live parts of opposite polarity and between live parts and exposed non-current-carrying metal parts.

17.3 The test potential shall be the following values for alternating-current, or 1.414 times the following values for direct-current:

- a) 500 volts for a Type 1B device;
- b) 1000 volts plus twice rated voltage for Types 1A, 2, 3, and 4 devices;
- c) The minimum required values for the intended end-use application for a Type 5 device, but not less than 2200 volts.

17.4 The test potential is to be supplied from a 500 volt-ampere or larger capacity testing transformer whose output is essentially sinusoidal and can be varied. The applied potential is to be increased from zero until the required test voltage is reached, and is to be held at that voltage for a period of 1 minute. The increase in the applied potential is to be at a uniform rate and as rapid as is consistent with its value being correctly indicated by a voltmeter.

18 Resistance To Arcing Test

18.1 If an insulating material is used in the construction of the face of a female contact device in a way that the material is likely to be exposed to arcing while in service, the specimens that were subjected to 50 cycles of operation in the Overload Test, Section 15, shall perform acceptably when subjected to an additional 200 cycles of operation under the overload test conditions, following the temperature and dielectric voltage-withstand tests. There shall not be any indication of electrical or mechanical failure, electrical tracking, formation of a permanent carbon path, or ignition of material.

Exception No. 1: A Type 0 device need not be subjected to this test.

Exception No. 2: A device that is intended for disconnecting use, not for current interruption, and is marked in accordance with 23.4, need not be subjected to this test.

Exception No. 3: A female contact device interlocked with an integral switch or other means such that the circuit is opened before a mating male contact device can be inserted or withdrawn need not be subjected to this test.

18.2 Alternatively to 18.1, one set of specimens may be subjected to the 50 cycles of operation described in Overload Test, Section 15, followed by the temperature and dielectric voltage-withstand tests. A second previously untested set of specimens shall then be subjected to 250 cycles of operation under the overload test conditions.

19 Conductor Secureness Test

19.1 The terminals of a device intended for crimp connection to individual leads shall be capable of withstanding a direct pull in accordance with Table 19.1 for a period of 1 min, without damage to the connection or separation of the conductor from the crimp. The leads are to be assembled to the terminals in accordance with the manufacturer's recommendations. The pull is to be applied gradually and in the direction most likely to result in failure of the connection.

19.1 revised April 14, 2009

Table 19.1
Pull values

Table 19.1 added April 14, 2009

Size of conductor		Pull force	
AWG	(mm ²)	lbf	(N)
32	(0.03)	0.5	(2.2)
30	(0.05)	1	(4.4)
28	(0.08)	2	(8.9)
26	(0.13)	4	(17.8)
24	(0.20)	6	(26.7)
20-22	(0.52-0.32)	8	(36)
18 and larger	(0.82 and larger)	20	(89)

19.2 Six individual leads are to be tested. Leads from as many devices as necessary may be employed to achieve the required number.

Exception: A terminal specified by the manufacturer as intended for crimp connection to a range of wire sizes is to be tested using six leads with the maximum and six with the minimum wire size.

19.3 A device that is provided with more than one size of terminal is to have each size subjected to the test described in 19.2.

20 Flammability Test

20.1 If a data, signal, control, or power connector is marked with a flammability class, the insulating material shall comply with the requirements and tests for the marked flammability classification as described in the Standard for Tests for Flammability of Plastic Materials for Parts in Devices and Appliances, UL 94.

21 Grounding Impedance Test

21.1 For devices constructed in accordance with 9.2, the impedance between the grounding terminal or grounding contact and any accessible dead metal part shall not exceed $0.1\ \Omega$ when tested in accordance with 21.2 and 21.3.

Revised 21.1 effective December 7, 2009

21.2 A current of 40 A derived from a 60 Hz source with a no-load voltage not exceeding 6 V is to be passed for 2 minutes through the grounding terminal or the grounding contact and each accessible dead metal part which could become live in case of failure in basic insulation.

Revised 21.2 effective December 7, 2009

21.3 The voltage drop between the parts is to be measured and the impedance determined from the current and voltage drop.

21.3 effective December 7, 2009

RATINGS

22 General

22.1 A device shall be rated in volts ac, dc, or both and amperes. A device may have multiple voltage and current ratings.

22.2 The current rating of a device shall be specified by the manufacturer.

Exception: A Type 0 and 1A device need not be assigned a current rating.

MARKINGS

23 General

23.1 A device shall be legibly marked, where visible before installation, with the manufacturer's trade name, trademark, or other descriptive marking by which the organization responsible for the product may be identified.

Exception: If the device is too small, or where the legibility would be difficult to attain, the manufacturer's name, trade name, trademark, or other descriptive marking may appear on the smallest unit container or carton.

23.2 The following shall be marked on the device, on the smallest unit container or carton, or on a stuffer sheet in the smallest unit container or carton:

- a) The catalog number or an equivalent designation;
- b) The electrical rating in both volts and amperes;

Exception No. 1: Type 0 and 1A devices not assigned a current rating would not be marked with a current rating, but may be marked with a voltage rating only.

Exception No. 2: The electrical rating, both voltage and current, need not be marked when appropriate.

- c) Whether ac or dc, if restricted; and
- d) Flammability class, if identified.

Exception: These markings may be optional when appropriate.

23.3 If the same device is produced or assembled at more than one factory, each finished device shall have a distinctive marking, which may be in code, to identify the factory of origin.

Exception: If the product is of a size such that legibility of the factory code designation would be difficult to attain, or if the construction or manufacturing process does not permit a legible factory code designation on each finished device, then the factory marking may instead be provided on the smallest unit container or carton.

23.4 A device intended exclusively for disconnecting use shall be marked "Not for current interrupting " or "For disconnecting use only " or with an equivalent statement. This marking shall be located on the device, or in or on the smallest unit container or carton.

23.4 effective December 7, 2009

No Text on This Page

APPENDIX A

Standards for Components

Standards under which components of the products covered by this standard are evaluated include the following:

Title of Standard – UL Standard Designation

Flammability of Plastic Materials for Parts in Devices and Appliances, Tests for – UL 94

Polymeric Materials – Short Term Property Evaluations – UL 746A

Polymeric Materials – Long Term Property Evaluations – UL 746B

Polymeric Materials – Use in Electrical Equipment Evaluations – UL746C

No Text on This Page

**Superseded requirements for
the Standard for
Component Connectors for Use in Data, Signal, Control and Power Applications,
UL 1977, Second Edition**

The requirements shown are the current requirements that have been superseded by requirements in this edition. The numbers in parentheses refer to the new requirements with future effective dates that have superseded these requirements. To retain the current requirements, do not discard the following requirements until the future effective dates are reached.

20.4 (23.4) A device intended exclusively for disconnecting use may be marked "Not for current interrupting " or "For disconnecting use only " or with an equivalent statement.

No Text on This Page